

# BAC 70

01001080-xxx OLI-1



purposes

## External dimensions (L x l x h)

680 x 560 x 850 mm

## Internal dimensions\* (L x l x h)

477 x 363 x 620 mm

## Internal volume

105 L

## Empty weight

30 Kg

\* Average value for reference purposes



Chilled



Frozen



Ambient

## Insulated container standard specifications

### Box & lid :

- Monobloc wall in UV-resistant food grade polyethylene ;
- Injected polyurethane foam ;
- Monobloc silicone frame seal ;
- Sealing frontal toggle closure, yellow zinc coating ;
- Lid opening at 115°;
- 4 side-handling handles rotationally molded into the mass ;
- Mass-produced boss for stacking ;
- Maximum capacity of storable pellets : ≈ 84 kg

## Accessory options

Double silicone seal in dry ice drawer configuration.

## Customization

**Signage** : heat-sealed adhesive – ready-to-print file provided by the client.

**Tracking** : temperature/GPS tracking solution.

**Logo molded into the mass.**


**Branding marking** : engraved aluminum plate 150 x 90 mm

## Cold source

### ADVICES

**Eutectic plates** : up to 3 eutectic plates TOP70 all temperature according to the existing Olivo standard.

**Dry ice bac** : rotomolded, capacity of 6L.



## Insulated container properties

Thermal

Coef K.	0.40 W/m2.°C
ATP category	IR
Temperature resistance	-80°C/+70°C
Double wall thickness	≈ 90 mm
Internal convection grooves	

Mechanical

Dynamic load capacity	-
Static load capacity	-

Double-walled, rotational-molded and grooved

For advice on best practices for use and thermal performance, contact the Olivo team / [contact@olivo.eu](mailto:contact@olivo.eu)



Update 26 /10/2023