

BAC 70

01001080-xxx OLI-1



purposes

External dimensions (L x l x h)

680 x 560 x 850 mm

Internal dimensions* (L x l x h)

475 x 360 x 620 mm

Internal volume

105 L

Empty weight

30 Kg

* Average value for reference purposes



Chilled



Frozen



Ambient

Insulated container standard specifications

Box & lid :

- Monobloc wall in UV-resistant food grade polyethylene ;
- Injected polyurethane foam ;
- Monobloc silicone frame seal ;
- Sealing frontal toggle closure, yellow zinc coating ;
- Lid opening at 115°;
- 4 side-handling handles rotationally molded into the mass ;
- Mass-produced boss for stacking ;
- Maximum capacity of storable pellets : ≈ 84 kg

Accessory options

Double silicone seal in dry ice drawer configuration.

Customization

Signage : heat-sealed adhesive – ready-to-print file provided by the client.

Tracking : temperature/GPS tracking solution.

Logo molded into the mass.


Branding marking : engraved aluminum plate 150 x 90 mm

Cold source

ADVICES

Eutectic plates : up to 3 eutectic plates TOP70 all temperature according to the existing Olivo standard.

Dry ice bac : rotomolded, capacity of 6L.



Insulated container properties

Thermal

Coef K.	0.40 W/m2.°C
ATP category	IR
Temperature resistance	-80°C/+70°C
Double wall thickness	≈ 90 mm
Internal convection grooves	

Mechanical

Dynamic load capacity	-
Static load capacity	-

Double-walled, rotational-molded and grooved

For advice on best practices for use and thermal performance, contact the Olivo team / contact@olivo.eu



Update 26 /10/2023